




China 608zz Bearing Supplier



VA201



2Z/VA201



2Z/VA208



2Z/VA228

SKF High Temperature Bearing 6211-2z/Va201 for SKF High Temperature Bearing

Bearing No. 6211-2z/Va201

6211-2z/Va201 Bearing 2D drawings and 3D CAD models

Size	55x100x21 mm
Bore Diameter	55 mm
Outer Diameter	100 mm
Width	21 mm
d	55 mm
D	100 mm
B	21 mm
C	21 mm
d1	69 mm
r1 min.	1,5 mm
r2 min.	1,5 mm
D2	89,4 mm
Weight	0,61 Kg
Temperature -	30 to +250 °
Basic static load rating (C0)	29 kN
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	7316571587981
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No



China 608zz Bearing Supplier

Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	55MM Bore; 100MM Outside Diameter; 21MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Fe
Other Features	Deep Groove Extreme Temperature Variant
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Weight / LBS	0.64
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.827 Inch 21 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Bore	2.165 Inch 55 Millimeter
d ₁	69.06 mm
D ₂	89.4 mm
r _{1,2} min.	1.5 mm
d _a min.	64 mm
d _a max.	69 mm
D _a max.	91 mm



China 608zz Bearing Supplier

r_a max.	1.5 mm
Basic dynamic load rating C	46.2 kN
Basic static load rating C_0	29 kN
Limiting speed	50 r/min
Limiting temperature T max.	250 ° C
Mass bearing	0.64 kg